ELSEVIER

Brain Research 753 (1997) 358–359

BRAIN RESEARCH

Author Index

Adelbrecht, C., see Lauritzen, I. (753) 8
Akiyama, H., see Hino, H. (753) 353
Albus, H., see Meijer, J.H. (753) 322
Alkadhi, K.A. and Altememi, G.F.
Nitric oxide mediates long-term potentiation in rat superior cervical ganglion (753) 315
Altememi, G.F., see Alkadhi, K.A. (753) 315

Baik, S.H., see Cha, C.I. (753) 235
Beal, M.F., see Ferrante, R.J. (753) 157
Beauvillain, J.-C., see Dutriez, I. (753) 36
Bergman, S., see Haglid, K.G. (753) 196
Bienkowski, P. and Kostowski, W.
Discriminative stimulus properties of ethanol in the rat: effects of neurosteroids and picrotoxin (753) 348
Biggs, C.S., Fowler, L.J., Whitton, P.S. and Starr, M.S.
Extracellular levels of glutamate and aspartate in the entopeduncular nucleus of the rat determined by microdialysis: regulation by striatal dopamine D_2 receptors via the *indirect* striatal output pathway? (753) 163
Buchan, A.M., see Small, D.L. (753) 209
Buzsáki, G., see Horváth, Z.C. (753) 181

Cai, H., see Yao, H. (753) 80
Carroll, P.T.
Evidence to suggest that extracellular acetate is accumulated by rat hippocampal cholinergic nerve terminals for acetylcholine formation and release (753) 47
Cha, C.I., Lee, Y.I., Lee, E.Y., Park, K.H. and Baik, S.H.
Age-related changes of VIP, NPY and somatostatin-immunoreactive neurons in the cerebral cortex of aged rats (753) 235
Ciriello, J., see Solano-Flores, L.P. (753) 102
Czopf, J., see Horváth, Z.C. (753) 181

Danielsen, N., see Haglid, K.G. (753) 196
Davies, J.A., see Hu, R.Q. (753) 260
Dekaban, G.A., see Mabon, P.J. (753) 245
Del Bel, E.A., see De Oliveira, C.L. (753) 202
De Oliveira, C.L., Guimarães, F.S. and Del Bel, E.A.
c-jun mRNA expression in the hippocampal formation induced by restraint stress (753) 202
De Weille, J., see Lauritzen, I. (753) 8
Dickie, B.G.M. and Greenfield, S.A.
Chronic exposure to Ro20-1724 protects dopaminergic neurons in vitro against the neurotoxic action of *N*-methyl-D-aspartate and 1-methyl-4-phenylpyridinium (753) 335
Dubuc, R., see Guertin, P. (753) 328
Dürmüller, N., Graham, J.L., Sowinski, P. and Meldrum, B.S.
The vital dye Evans blue mimics limbic seizures induced by kainate or pilocarpine (753) 283
Dutriez, I., Lagny-Pourmir, I., Epelbaum, J. and Beauvillain, J.-C.
Ultrastructural localization of galanin and galanin receptors in the guinea pig median eminence (753) 36

Ellisman, M.H., see Yoder, E.J. (753) 299
Elmér, E., see Li, P.-A. (753) 133
Epelbaum, J., see Dutriez, I. (753) 36

Feltz, P., see Hayar, A. (753) 120
Ferrante, R.J., Schulz, J.B., Kowall, N.W. and Beal, M.F.
Systemic administration of rotenone produces selective damage in the striatum and globus pallidus, but not in the substantia nigra (753) 157
Fitch, G.K., Patel, K.P. and Weiss, M.L.
Increased renal interstitial hydrostatic pressure causes *c-fos* expression in the rat's spinal cord dorsal horn (753) 340
Fowler, L.J., see Biggs, C.S. (753) 163
Fujishima, M., see Yao, H. (753) 80

Garris, P.A., Walker, Q.D. and Wightman, R.M.
Dopamine release and uptake rates both decrease in the partially denervated striatum in proportion to the loss of dopamine terminals (753) 225
Gibbs, R.B. and Martynowski, C.
Nerve growth factor induces Fos-like immunoreactivity within identified cholinergic neurons in the adult rat basal forebrain (753) 141
Graham, J.L., see Dürmüller, N. (753) 283
Greenfield, S.A., see Dickie, B.G.M. (753) 335
Guertin, P. and Dubuc, R.
Effects of stimulating the reticular formation during fictive locomotion in lampreys (753) 328
Guimarães, F.S., see De Oliveira, C.L. (753) 202

Haglid, K.G., Yang, Q., Hamberger, A., Bergman, S., Widerberg, A. and Danielsen, N.
S-100β stimulates neurite outgrowth in the rat sciatic nerve grafted with acellular muscle transplants (753) 196
Hamberger, A., see Haglid, K.G. (753) 196
Harada, J. and Sugimoto, M.
Polyamines prevent apoptotic cell death in cultured cerebellar granule neurons (753) 251
Hayar, A., Poulter, M.O., Pelkey, K., Feltz, P. and Marshall, K.C.
Mesencephalic trigeminal neuron responses to γ-aminobutyric acid (753) 120
Herdegen, T., see Keilmann, A. (753) 291
Hino, H., Mori, K., Yoshihara, Y., Iseki, E., Akiyama, H., Nishimura, T., Ikeda, K. and Kosaka, K.
Reduction of telencephalin immunoreactivity in the brain of patients with Alzheimer's disease (753) 353
Ho, I.K., see Hoshi, K. (753) 63
Hoffman, K.B., Kessler, M. and Lynch, G.
Sialic acid residues indirectly modulate the binding properties of AMPA-type glutamate receptors (753) 309
Horváth, Z.C., Czopf, J. and Buzsáki, G.
MK-801-induced neuronal damage in rats (753) 181
Hoshi, K., Ma, T., Oh, S. and Ho, I.K.
Increased release of excitatory amino acids in rat locus coeruleus in κ-opioid agonist dependent rats precipitated by nor-binaltorphimine (753) 63
Hsu, K.-S., see Huang, C.-C. (753) 27
Hu, R.Q. and Davies, J.A.
Tiagabine hydrochloride, an inhibitor of γ-aminobutyric acid (GABA) uptake, induces cortical depolarizations in vitro (753) 260
Huang, C.-C., Tsai, J.-J. and Hsu, K.-S.
L-Deprenyl (selegiline) limits the repetitive firing of action potentials in rat hippocampal CA1 neurons via a dopaminergic mechanism (753) 27

Ibayashi, S., see Yao, H. (753) 80
Ikeda, K., see Hino, H. (753) 353
Iseki, E., see Hino, H. (753) 353

Janecka, A., see Zubrzycka, M. (753) 128

Kaputlu, İ. and Uzbay, T.
L-NAME inhibits pentylenetetrazole and strychnine-induced seizures in mice (753) 98
Kawaguchi, K. and Simon, R.P.
Non-NMDA but not NMDA blockade at deep prepiriform cortex protects against hippocampal cell death in status epilepticus (753) 152

ELSEVIER

Brain Research 753 (1997) 358–359

BRAIN RESEARCH

Author Index

Adelbrecht, C., see Lauritzen, I. (753) 8
Akiyama, H., see Hino, H. (753) 353
Albus, H., see Meijer, J.H. (753) 322
Alkadhi, K.A. and Altememi, G.F.
Nitric oxide mediates long-term potentiation in rat superior cervical ganglion (753) 315
Altememi, G.F., see Alkadhi, K.A. (753) 315

Baik, S.H., see Cha, C.I. (753) 235
Beal, M.F., see Ferrante, R.J. (753) 157
Beauvillain, J.-C., see Dutriez, I. (753) 36
Bergman, S., see Haglid, K.G. (753) 196
Bienkowski, P. and Kostowski, W.
Discriminative stimulus properties of ethanol in the rat: effects of neurosteroids and picrotoxin (753) 348
Biggs, C.S., Fowler, L.J., Whitton, P.S. and Starr, M.S.
Extracellular levels of glutamate and aspartate in the entopeduncular nucleus of the rat determined by microdialysis: regulation by striatal dopamine D_2 receptors via the *indirect* striatal output pathway? (753) 163
Buchan, A.M., see Small, D.L. (753) 209
Buzsáki, G., see Horváth, Z.C. (753) 181

Cai, H., see Yao, H. (753) 80
Carroll, P.T.
Evidence to suggest that extracellular acetate is accumulated by rat hippocampal cholinergic nerve terminals for acetylcholine formation and release (753) 47
Cha, C.I., Lee, Y.I., Lee, E.Y., Park, K.H. and Baik, S.H.
Age-related changes of VIP, NPY and somatostatin-immunoreactive neurons in the cerebral cortex of aged rats (753) 235
Ciriello, J., see Solano-Flores, L.P. (753) 102
Czopf, J., see Horváth, Z.C. (753) 181

Danielsen, N., see Haglid, K.G. (753) 196
Davies, J.A., see Hu, R.Q. (753) 260
Dekaban, G.A., see Mabon, P.J. (753) 245
Del Bel, E.A., see De Oliveira, C.L. (753) 202
De Oliveira, C.L., Guimarães, F.S. and Del Bel, E.A.
c-jun mRNA expression in the hippocampal formation induced by restraint stress (753) 202
De Weille, J., see Lauritzen, I. (753) 8
Dickie, B.G.M. and Greenfield, S.A.
Chronic exposure to Ro20-1724 protects dopaminergic neurons in vitro against the neurotoxic action of *N*-methyl-D-aspartate and 1-methyl-4-phenylpyridinium (753) 335
Dubuc, R., see Guertin, P. (753) 328
Dürmüller, N., Graham, J.L., Sowinski, P. and Meldrum, B.S.
The vital dye Evans blue mimics limbic seizures induced by kainate or pilocarpine (753) 283
Dutriez, I., Lagny-Pourmir, I., Epelbaum, J. and Beauvillain, J.-C.
Ultrastructural localization of galanin and galanin receptors in the guinea pig median eminence (753) 36

Ellisman, M.H., see Yoder, E.J. (753) 299
Elmér, E., see Li, P.-A. (753) 133
Epelbaum, J., see Dutriez, I. (753) 36

Feltz, P., see Hayar, A. (753) 120
Ferrante, R.J., Schulz, J.B., Kowall, N.W. and Beal, M.F.
Systemic administration of rotenone produces selective damage in the striatum and globus pallidus, but not in the substantia nigra (753) 157
Fitch, G.K., Patel, K.P. and Weiss, M.L.
Increased renal interstitial hydrostatic pressure causes *c-fos* expression in the rat's spinal cord dorsal horn (753) 340
Fowler, L.J., see Biggs, C.S. (753) 163
Fujishima, M., see Yao, H. (753) 80

Garris, P.A., Walker, Q.D. and Wightman, R.M.
Dopamine release and uptake rates both decrease in the partially denervated striatum in proportion to the loss of dopamine terminals (753) 225
Gibbs, R.B. and Martynowski, C.
Nerve growth factor induces Fos-like immunoreactivity within identified cholinergic neurons in the adult rat basal forebrain (753) 141
Graham, J.L., see Dürmüller, N. (753) 283
Greenfield, S.A., see Dickie, B.G.M. (753) 335
Guertin, P. and Dubuc, R.
Effects of stimulating the reticular formation during fictive locomotion in lampreys (753) 328
Guimarães, F.S., see De Oliveira, C.L. (753) 202

Haglid, K.G., Yang, Q., Hamberger, A., Bergman, S., Widerberg, A. and Danielsen, N.
S-100β stimulates neurite outgrowth in the rat sciatic nerve grafted with acellular muscle transplants (753) 196
Hamberger, A., see Haglid, K.G. (753) 196
Harada, J. and Sugimoto, M.
Polyamines prevent apoptotic cell death in cultured cerebellar granule neurons (753) 251
Hayar, A., Poulter, M.O., Pelkey, K., Feltz, P. and Marshall, K.C.
Mesencephalic trigeminal neuron responses to γ-aminobutyric acid (753) 120
Herdegen, T., see Keilmann, A. (753) 291
Hino, H., Mori, K., Yoshihara, Y., Iseki, E., Akiyama, H., Nishimura, T., Ikeda, K. and Kosaka, K.
Reduction of telencephalin immunoreactivity in the brain of patients with Alzheimer's disease (753) 353
Ho, I.K., see Hoshi, K. (753) 63
Hoffman, K.B., Kessler, M. and Lynch, G.
Sialic acid residues indirectly modulate the binding properties of AMPA-type glutamate receptors (753) 309
Horváth, Z.C., Czopf, J. and Buzsáki, G.
MK-801-induced neuronal damage in rats (753) 181
Hoshi, K., Ma, T., Oh, S. and Ho, I.K.
Increased release of excitatory amino acids in rat locus coeruleus in κ-opioid agonist dependent rats precipitated by nor-binaltorphimine (753) 63
Hsu, K.-S., see Huang, C.-C. (753) 27
Hu, R.Q. and Davies, J.A.
Tiagabine hydrochloride, an inhibitor of γ-aminobutyric acid (GABA) uptake, induces cortical depolarizations in vitro (753) 260
Huang, C.-C., Tsai, J.-J. and Hsu, K.-S.
L-Deprenyl (selegiline) limits the repetitive firing of action potentials in rat hippocampal CA1 neurons via a dopaminergic mechanism (753) 27

Ibayashi, S., see Yao, H. (753) 80
Ikeda, K., see Hino, H. (753) 353
Iseki, E., see Hino, H. (753) 353

Janecka, A., see Zubrzycka, M. (753) 128

Kaputlu, İ. and Uzbay, T.
L-NAME inhibits pentylenetetrazole and strychnine-induced seizures in mice (753) 98
Kawaguchi, K. and Simon, R.P.
Non-NMDA but not NMDA blockade at deep prepiriform cortex protects against hippocampal cell death in status epilepticus (753) 152

Keilmann, A. and Herdegen, T.
The c-Fos transcription factor in the auditory pathway of the juvenile rat: effects of acoustic deprivation and repetitive stimulation (753) 291
Kessler, M., see Hoffman, K.B. (753) 309
Khan, I.M., Yaksh, T.L. and Taylor, P.
Epibatidine binding sites and activity in the spinal cord (753) 269
Kosaka, K., see Hino, H. (753) 353
Kostowski, W., see Bienkowski, P. (753) 348
Kowall, N.W., see Ferrante, R.J. (753) 157
Koziolkiewicz, W., see Zubrzycka, M. (753) 128

Lagny-Pourmir, I., see Dutriez, I. (753) 36
Lauritzen, I., De Weille, J., Adelbrecht, C., Lesage, F., Murer, G., Raisman-Vozari, R. and Lazdunski, M.
Comparative expression of the inward rectifier K^+ channel GIRK2 in the cerebellum of normal and *weaver* mutant mice (753) 8
Lazdunski, M., see Lauritzen, I. (753) 8
Lee, E.Y., see Cha, C.I. (753) 235
Lee, Y.I., see Cha, C.I. (753) 235
Lehmenkühler, A., see Schwindt, W. (753) 86
Lesage, F., see Lauritzen, I. (753) 8
Leung, C.K.S., see Ye, G.L. (753) 1
LeVatte, M.A., see Mabon, P.J. (753) 245
Leventhal, L., see Rossi, G.C. (753) 176
Li, P.-A., Uchino, H., Elmér, E. and Siesjö, B.K.
Amelioration by cyclosporin A of brain damage following 5 or 10 min of ischemia in rats subjected to preischemic hyperglycemia (753) 133
Lynch, G., see Hoffman, K.B. (753) 309
Lyons, D. and Porrino, L.J.
Dopamine depletion in the rostral nucleus accumbens alters the cerebral metabolic response to cocaine in the rat (753) 69

Ma, T., see Hoshi, K. (753) 63
Mabon, P.J., LeVatte, M.A., Dekaban, G.A. and Weaver, L.C.
Identification of sympathetic preganglionic neurons controlling the small intestine in hamsters using a recombinant herpes simplex virus type-1 (753) 245
Marshall, K.C., see Hayar, A. (753) 120
Martynowski, C., see Gibbs, R.B. (753) 141
Matsumoto, K., Ojima, K. and Watanabe, H.
Central corticotropin-releasing factor and benzodiazepine receptor systems are involved in the social isolation stress-induced decrease in ethanol sleep in mice (753) 318
Meijer, J.H., Schaap, J., Watanabe, K. and Albus, H.
Multiunit activity recordings in the suprachiasmatic nuclei: in vivo versus in vitro models (753) 322
Meldrum, B.S., see Dürmüller, N. (753) 283
Monette, R., see Small, D.L. (753) 209
Mori, K., see Hino, H. (753) 353
Morley, P., see Small, D.L. (753) 209
Murer, G., see Lauritzen, I. (753) 8

Nakane, H., see Yao, H. (753) 80
Nicholson, C., see Schwindt, W. (753) 86
Nishimura, T., see Hino, H. (753) 353

Oh, S., see Hoshi, K. (753) 63
Ojima, K., see Matsumoto, K. (753) 318

Park, K.H., see Cha, C.I. (753) 235
Pasternak, G.W., see Rossi, G.C. (753) 176
Patel, K.P., see Fitch, G.K. (753) 340
Pelkey, K., see Hayar, A. (753) 120
Porrino, L.J., see Lyons, D. (753) 69
Poulter, M.O., see Hayar, A. (753) 120

Raisman-Vozari, R., see Lauritzen, I. (753) 8
Rosas-Arellano, M.P., see Solano-Flores, L.P. (753) 102
Rosenkopf, R., see Seidman, K.J.N. (753) 18
Rossi, G.C., Su, W., Leventhal, L., Su, H. and Pasternak, G.W.
Antisense mapping DOR-1 in mice: further support for δ receptor subtypes (753) 176

Salzet, B., see Stefano, G.B. (753) 219
Salzet, M., see Stefano, G.B. (753) 219
Schaap, J., see Meijer, J.H. (753) 322
Schulz, J.B., see Ferrante, R.J. (753) 157
Schwindt, W., Nicholson, C. and Lehmenkühler, A.
Critical volume of rat cortex and extracellular threshold concentration for a pentylenetetrazol-induced epileptic focus (753) 86
Seidman, K.J.N., Teng, A.L., Rosenkopf, R., Spilotro, P. and Weyhenmeyer, J.A.
Isolation, cloning and characterization of a putative type-1 astrocyte cell line (753) 18
Seki, K. and Yamaguchi, T.
Cutaneous reflex activity of the cat forelimb during fictive locomotion (753) 56
Siesjö, B.K., see Li, P.-A. (753) 133
Simon, R.P., see Kawaguchi, K. (753) 152
Small, D.L., Monette, R., Buchan, A.M. and Morley, P.
Identification of calcium channels involved in neuronal injury in rat hippocampal slices subjected to oxygen and glucose deprivation (753) 209
Solano-Flores, L.P., Rosas-Arellano, M.P. and Ciriello, J.
Fos induction in central structures after afferent renal nerve stimulation (753) 102
Sowinski, P., see Dürmüller, N. (753) 283
Spilotro, P., see Seidman, K.J.N. (753) 18
Starr, M.S., see Biggs, C.S. (753) 163
Stefano, G.B., Salzet, B. and Salzet, M.
Identification and characterization of the leech CNS cannabinoid receptor: coupling to nitric oxide release (753) 219
Su, H., see Rossi, G.C. (753) 176
Su, W., see Rossi, G.C. (753) 176
Sugimoto, M., see Harada, J. (753) 251

Tamir, H., see Yoder, E.J. (753) 299
Taylor, P., see Khan, I.M. (753) 269
Teng, A.L., see Seidman, K.J.N. (753) 18
Traczyk, W.Z., see Zubrzycka, M. (753) 128
Tsai, J.-J., see Huang, C.-C. (753) 27

Uchimura, H., see Yao, H. (753) 80
Uchino, H., see Li, P.-A. (753) 133
Uzbay, T., see Kaputlu, İ. (753) 98

Walker, Q.D., see Garris, P.A. (753) 225
Watanabe, H., see Matsumoto, K. (753) 318
Watanabe, K., see Meijer, J.H. (753) 322
Weaver, L.C., see Mabon, P.J. (753) 245
Weiss, M.L., see Fitch, G.K. (753) 340
Weyhenmeyer, J.A., see Seidman, K.J.N. (753) 18
Whitton, P.S., see Biggs, C.S. (753) 163
Widerberg, A., see Haglid, K.G. (753) 196
Wightman, R.M., see Garris, P.A. (753) 225

Yaksh, T.L., see Khan, I.M. (753) 269
Yamaguchi, T., see Seki, K. (753) 56
Yang, Q., see Haglid, K.G. (753) 196
Yao, H., Ibayashi, S., Nakane, H., Cai, H., Uchimura, H. and Fujishima, M.
AMPA receptor antagonist, YM90K, reduces infarct volume in thrombotic distal middle cerebral artery occlusion in spontaneously hypertensive rats (753) 80
Ye, G.L., Leung, C.K.S. and Yung, W.H.
Pre-synaptic effect of the ATP-sensitive potassium channel opener diazoxide on rat substantia nigra pars reticulata neurons (753) 1
Yoder, E.J., Tamir, H. and Ellisman, M.H.
Serotonin receptors expressed by myelinating Schwann cells in rat sciatic nerve (753) 299
Yoshihara, Y., see Hino, H. (753) 353
Yung, W.H., see Ye, G.L. (753) 1

Zubrzycka, M., Janecka, A., Koziolkiewicz, W. and Traczyk, W.Z.
Inhibition of tongue reflex in rats by tooth pulp stimulation during cerebral ventricle perfusion with (6–11) substance P analogs (753) 128